

OPTIONS FOR HANDHELD TRANSCEIVERS

MODEL NAME	BATTERY PACKS								
	BP-227 (Li-Ion) 74V/1850mAh (min.) 1950mAh (typ.)	BP-230N (Li-Ion) 74V/950mAh (min.) 980mAh (typ.)	BP-232FM (Li-Ion) 74V/1900mAh (min.) 2000mAh (typ.) (For I/S models)	BP-232H (Li-Ion) 74V/2250mAh (min.) 2300mAh (typ.)	BP-232WP (Li-Ion) 74V/2250mAh (min.) 2300mAh (typ.)	BP-253 (Li-Ion) 74V/1570mAh (min.) 1650mAh (typ.)	BP-254 (Li-Ion) 74V/2900mAh (min.) 3040mAh (typ.)	BP-254FM (Li-Ion) 74V/2900mAh (min.) 3040mAh (typ.) (For I/S models)	BP-264 (Ni-MH) 72V/1400mAh
IC-F9011T/S/B, IC-F9021T/S/B									
IC-F70DT/DS, T/S IC-F80DT/DS, T/S						✓	✓	✓ (I/S models only)	
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS					✓				
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S		✓	✓ (I/S models only)	✓					
IC-F3230DT/DS, IC-F4230DT/DS					✓				
IC-F3210D, IC-F4210D									✓
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D									✓
IC-F50V, IC-F60V	✓								
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S					✓				
IC-F3011, IC-F4011		✓		✓					
IC-F3001, IC-F3003 IC-F4001, IC-F4003									✓










MODEL NAME	BATTERY PACKS		BATTERY CASES					CHARGERS	
	BP-265 (Li-Ion) 74V/1900mAh (min.) 2000mAh (typ.)	BP-274 (Li-Ion) 74V/1800mAh (min.) 1900mAh (typ.)	BP-226 LR6(AA)x5 cells	BP-237 LR6(AA)x6 cells	BP-240 LR03(AAA)x6 cells	BP-261 LR6(AA)x6 cells	BP-263 LR6(AA)x6 cells	BC-119N Rapid charger	BC-152N Regular charger
IC-F9011T/S/B, IC-F9021T/S/B									
IC-F70DT/DS, T/S IC-F80DT/DS, T/S				✓				✓ (AD-110 is required)	
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS				✓		✓		✓ (AD-110 is required)	
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S					✓			✓ (AD-106 is required)	
IC-F3230DT/DS, IC-F4230DT/DS					✓			✓ (AD-106 is required)	
IC-F3210D, IC-F4210D	✓								
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D	✓								
IC-F50V, IC-F60V		✓	✓					✓ (AD-100 is required)	✓
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S					✓	✓		✓ (AD-106 is required)	
IC-F3011, IC-F4011					✓			✓ (AD-106 is required)	
IC-F3001, IC-F3003 IC-F4001, IC-F4003	✓							✓	

MODEL NAME	CHARGERS						MULTI-CHARGER	
	BC-160 Rapid charger	BC-171 Regular charger	BC-190 Rapid charger	BC-191 Rapid charger (for BP-264)	BC-192 Regular charger (for BP-264)	BC-193 Rapid charger (for BP-265)	BC-121N	BC-197 *1
IC-F9011T/S/B, IC-F9021T/S/B								
IC-F70DT/DS, T/S IC-F80DT/DS, T/S							✓ (AD-110 is required)	
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS	✓	✓					✓ (AD-110 is required)	✓ (AD-122 is required)
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S	✓	✓					✓ (AD-106 is required)	✓ (AD-122 is required)
IC-F3230DT/DS, IC-F4230DT/DS	✓	✓					✓ (AD-106 is required)	✓ (AD-122 is required)
IC-F3210D, IC-F4210D				✓	✓	✓		✓ (AD-120 or AD-121 is required)
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D				✓	✓	✓		✓ (AD-120 or AD-121 is required)
IC-F50V, IC-F60V			✓				✓ (AD-100 is required)	
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S	✓	✓					✓ (AD-106 is required)	✓ (AD-122 is required)
IC-F3011, IC-F4011	✓	✓					✓ (AD-106 is required)	✓ (AD-122 is required)
IC-F3001, IC-F3003 IC-F4001, IC-F4003				✓	✓	✓		✓ (AD-120 or AD-121 is required)










*1 Either AD-120, AD-121 or AD-122 is supplied with the BC-197.

✓ : Applicable □ : Not applicable

OPTIONS FOR HANDHELD TRANSCEIVERS










MODEL NAME	CHARGER ADAPTERS					AC ADAPTERS			
	AD-100 For BP-227/274	AD-106 For BP-230N/232H/ WP/FM	AD-110 For BP-253/254/FM	AD-120 For BP-264 AD-121 For BP-265	AD-122 For BP-230N/232H/ 232WP/232FM	BC-123S *2 12V/1A	BC-145S *2 16V/0.93A	BC-147S *2 12V/200mA	BC-157S 12V/6.6A
IC-F9011T/S/B, IC-F9021T/S/B				 <small>(Photo shows AD-121)</small>					
IC-F70DT/DS, T/S IC-F80DT/DS, T/S			✓ (Use with BC-119N/BC-121N)				✓ (Use with BC-119N)		✓ (Use with BC-121N)
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS		✓ (Use with BC-119N/BC-121N)			✓ (Use with BC-197)		✓ (Use with BC-119N)		✓ (Use with BC-121N)
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S		✓ (Use with BC-119N/BC-121N)			✓ (Use with BC-197)		✓ (Use with BC-119N or BC-160)	✓ (Use with BC-171)	✓ (Use with BC-121N or BC-197)
IC-F3230DT/DS, IC-F4230DT/DS		✓ (Use with BC-119N/BC-121N)			✓ (Use with BC-197)		✓ (Use with BC-119N or BC-160)	✓ (Use with BC-171)	✓ (Use with BC-121N or BC-197)
IC-F3210D, IC-F4210D				✓ (Use with BC-197)		✓ (Use with BC-191 or BC-193)	✓ (Use with BC-119N or BC-160)	✓ (Use with BC-192)	✓ (Use with BC-121N or BC-197)
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D				✓ (Use with BC-197)		✓ (Use with BC-191 or BC-193)	✓ (Use with BC-119N or BC-160)	✓ (Use with BC-192)	✓ (Use with BC-197)
IC-F50V, IC-F60V	✓ (Use with BC-119N/BC-121N)					✓ (Use with BC-190)	✓ (Use with BC-119N)	✓ (Use with BC-152N)	✓ (Use with BC-121N)
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S		✓ (Use with BC-119N/BC-121N)			✓ (Use with BC-197)		✓ (Use with BC-119N or BC-160)	✓ (Use with BC-171)	✓ (Use with BC-121N or BC-197)
IC-F3011, IC-F4011		✓ (Use with BC-119N/BC-121N)			✓ (Use with BC-197)		✓ (Use with BC-119N or BC-160)	✓ (Use with BC-171)	✓ (Use with BC-121N or BC-197)
IC-F3001, IC-F3003 IC-F4001, IC-F4003				✓ (Use with BC-197)		✓ (Use with BC-191 or BC-193)		✓ (Use with BC-192)	✓ (Use with BC-197)









MODEL NAME	SPEAKER-MICROPHONES								
	HM-131SC	HM-138 IPX7	HM-158LA	HM-159LA/SC	HM-168/LWP HM-168IS (For IS models) IPX7	HM-169 HM-169IS (For IS models) IP67	HM-170GP IP57 GPS	HM-171GP IP54 GPS	HM-184/H IP67
IC-F9011T/S/B, IC-F9021T/S/B				 <small>(Photo shows HM-159LA)</small>	 <small>(Photo shows HM-168)</small>	 <small>(Photo shows HM-169)</small>			
IC-F70DT/DS, T/S IC-F80DT/DS, T/S		✓			✓ (Use HM-168/IS)	✓ (Use HM-169)			✓
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS									✓
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S	✓			✓ (Use HM-159SC)	✓ (Use HM-168)		✓		
IC-F3230DT/DS, IC-F4230DT/DS			✓	✓ (Use HM-159LA)	✓ (Use HM-168LWP)				
IC-F3210D, IC-F4210D			✓	✓ (Use HM-159LA)				✓	
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D			✓	✓ (Use HM-159LA)				✓	
IC-F50V, IC-F60V		✓			✓ (Use HM-168)	✓ (Use HM-169)	✓		
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S			✓	✓ (Use HM-159LA)	✓ (Use HM-168LWP)				
IC-F3011, IC-F4011			✓	✓ (Use HM-159LA)					
IC-F3001, IC-F3003 IC-F4001, IC-F4003			✓	✓ (Use HM-159LA)					






MODEL NAME	EARPHONE-MICROPHONES		HEADSETS			VOX/PTT CASE	PLUG ADAPTER CABLE	EARPHONES	
	HM-153LA	HM-166LA	HS-94 Earhook type with boom microphone	HS-95 Behind-the-head type	HS-97 Throat microphone type	VS-1L/SC/MC	OPC-2004	SP-13	SP-27
IC-F9011T/S/B, IC-F9021T/S/B						 <small>(Photo shows VS-1L)</small>			
IC-F70DT/DS, T/S IC-F80DT/DS, T/S			✓ (Use with VS-1MC)	✓ (Use with VS-1MC)	✓ (Use with VS-1MC)	✓ (Use with VS-1MC)			
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS			✓ (Use with VS-1SC)	✓ (Use with VS-1SC)	✓ (Use with VS-1SC)	✓ (Use with VS-1SC)			
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S			✓ (Use with VS-1SC)	✓ (Use with VS-1SC)	✓ (Use with VS-1SC)	✓ (Use with VS-1SC)		✓ (Use with AD-52)	✓ (Use with AD-52)
IC-F3230DT/DS, IC-F4230DT/DS		✓							
IC-F3210D, IC-F4210D			✓ (Use with OPC-2004)	✓ (Use with OPC-2004)	✓ (Use with OPC-2004)		✓		✓
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D			✓ (Use with OPC-2004)	✓ (Use with OPC-2004)	✓ (Use with OPC-2004)		✓		✓
IC-F50V, IC-F60V			✓ (Use with VS-1SC)	✓ (Use with VS-1SC)	✓ (Use with VS-1SC)	✓ (Use with VS-1SC)			
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S	✓	✓						✓	✓
IC-F3011, IC-F4011	✓	✓	✓ (Use with VS-1L)	✓ (Use with VS-1L)	✓ (Use with VS-1L)	✓ (Use with VS-1L)		✓	✓
IC-F3001, IC-F3003 IC-F4001, IC-F4003			✓ (Use with OPC-2004)	✓ (Use with OPC-2004)	✓ (Use with OPC-2004)		✓		✓

*2 BC-123/BC-145/BC-147SA for 120V DC. SE for 230V DC. SV for 240V AC.
Some options may not be available in some countries. Please ask your dealer for details.

OPTIONS FOR HANDHELD TRANSCEIVERS

MODEL NAME	EARPHONE ADAPTER	ACC ADAPTER	BELT CLIPS						
	AD-52 	AD-118 Allows you to use 6-pin Hirose plug accessories 	MB-86 Swivel type 	MB-93 Swivel type 	MB-94 Alligator type 	MB-94R Alligator type 	MB-98 Alligator type 	MB-115 Alligator type 	MB-124 Alligator type 
IC-F9011T/S/B, IC-F9021T/S/B		✓						✓	
IC-F70DT/DS, T/S IC-F80DT/DS, T/S				✓	✓	✓			
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS		✓		✓	✓	✓			
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S	✓			✓	✓	✓			
IC-F3230DT/DS, IC-F4230DT/DS				✓	✓	✓			
IC-F3210D, IC-F4210D									✓
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D									✓
IC-F50V, IC-F60V			✓				✓		
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S				✓	✓	✓			
IC-F3011, IC-F4011				✓	✓	✓			
IC-F3001, IC-F3003 IC-F4001, IC-F4003									✓

MODEL NAME	CHARGER BRACKET	LEATHER BELT HANGERS	CIGARETTE LIGHTER CABLE	DC POWER CABLES		ZONE COPY CABLES		
	MB-130 	MB-96N Swivel type 	MB-96F Fixed type 	CP-23L 	OPC-656 	OPC-515L 	OPC-1533 Handheld to mobile OPC-1536 Handheld to handheld 	OPC-1871 Handheld to mobile OPC-1870 Handheld to handheld 
IC-F9011T/S/B, IC-F9021T/S/B				✓ (Use with BC-119N)	✓ (Use with BC-121N)	✓ (Use with BC-119N)		✓
IC-F70DT/DS, T/S IC-F80DT/DS, T/S		✓	✓	✓ (Use with BC-119N)	✓ (Use with BC-121N)	✓ (Use with BC-119N)	✓	
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS	✓ (Use with BC-160)	✓	✓	✓ (Use with BC-119N or BC-160)	✓ (Use with BC-121N or BC-197)	✓ (Use with BC-119N)		✓
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S	✓ (Use with BC-160)	✓	✓	✓ (Use with BC-119N or BC-160)	✓ (Use with BC-121N or BC-197)	✓ (Use with BC-119N)		
IC-F3230DT/DS, IC-F4230DT/DS	✓ (Use with BC-160)	✓	✓	✓ (Use with BC-119N or BC-160)	✓ (Use with BC-121N or BC-197)	✓ (Use with BC-119N)		
IC-F3210D, IC-F4210D	✓ (Use with BC-191/192/193)			✓ (Use with BC-191 or BC-193)	✓ (Use with BC-197)	✓ (Use with BC-191, BC-192 or BC-193)		
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D	✓ (Use with BC-191/192/193)			✓ (Use with BC-191 or BC-193)	✓ (Use with BC-197)	✓ (Use with BC-191, BC-192 or BC-193)		
IC-F50V, IC-F60V	✓ (Use with BC-190)	✓	✓	✓ (Use with BC-119N or BC-190)	✓ (Use with BC-121N)	✓ (Use with BC-119N)		
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S	✓ (Use with BC-160)	✓	✓	✓ (Use with BC-119N or BC-160)	✓ (Use with BC-121N or BC-197)	✓ (Use with BC-119N)		
IC-F3011, IC-F4011	✓ (Use with BC-160)	✓	✓	✓ (Use with BC-119N or BC-160)	✓ (Use with BC-121N or BC-197)	✓ (Use with BC-119N)		
IC-F3001, IC-F3003 IC-F4001, IC-F4003	✓ (Use with BC-191/192/193)			✓ (Use with BC-191 or BC-193)	✓ (Use with BC-197)	✓ (Use with BC-191, BC-192 or BC-193)		

MODEL NAME	ANTENNAS			HIGH GAIN ANTENNAS	CUT ANTENNAS		STUBBY ANTENNAS	
	FA-SC25V 136-150MHz FA-SC55V 150-174MHz FA-SC25U 400-430MHz FA-SC57U 430-470MHz FA-SC72U 470-520MHz FA-SC01U 350-400MHz FA-SC02U 330-380MHz FA-SC03U 380-430MHz FA-SC04U 350-400MHz	FA-S24V 136-150MHz FA-S59V 150-174MHz FA-S27U 400-470MHz FA-S56U 450-520MHz FA-S74U 490-520MHz	FA-S25V 136-148MHz FA-S65V 148-160MHz FA-S66V 160-174MHz FA-S30U 380-430MHz FA-S58U 430-470MHz FA-S75U 470-520MHz	FA-SC62V 150-160MHz FA-SC63V 155-165MHz 	FA-SC61VC 136-174MHz FA-SC61UC 380-520MHz 	FA-S67VC 136-174MHz FA-S76UC 380-520MHz 	FA-SC56VS 150-162MHz FA-SC57VS 160-174MHz FA-SC73US 450-490MHz 	FA-S62VS 150-162MHz FA-S63VS 160-174MHz FA-S57US 450-490MHz 
IC-F9011T/S/B, IC-F9021T/S/B			✓		✓			
IC-F70DT/DS, T/S IC-F80DT/DS, T/S	✓			✓	✓	✓		
IC-F3261DT/DS, IC-F3263DT/DS IC-F4261DT/DS, IC-F4263DT/DS	✓			✓	✓	✓		
IC-F3161DT/DS, T/S, F3163T/S IC-F4161DT/DS, T/S, F4163T/S	✓			✓	✓	✓		
IC-F3230DT/DS, IC-F4230DT/DS	✓			✓	✓	✓		
IC-F3210D, IC-F4210D	✓			✓	✓	✓		
IC-F3101D, IC-F3103D IC-F4101D, IC-F4103D	✓			✓	✓	✓		
IC-F50V, IC-F60V		✓					✓	
IC-F3031S, IC-F3033T/S IC-F4031S, IC-F4033T/S	✓			✓	✓	✓		
IC-F3011, IC-F4011	✓			✓	✓	✓		
IC-F3001, IC-F3003 IC-F4001, IC-F4003	✓			✓	✓	✓		

Some options may not be available in some countries. Please ask your dealer for details.

☑ : Applicable ☐ : Not applicable

OPTIONS FOR MOBILE TRANSCEIVERS AND REPEATERS

MODEL NAME	SEPARATION KITS			SEPARATION CABLES	HAND MICROPHONES				DESKTOP MICROPHONE
	RMK-2	RMK-3	RMK-4 Dual-head	OPC-608 (8m; 26.2ft) OPC-726 (5m; 16.4ft) OPC-607 (3m; 9.8ft) OPC-609 (1.9m; 6.2ft)	HM-152	HM-152T DTMF keypad type	HM-148G Heavy-duty type	HM-148T Heavy-duty type With DTMF keypad	SM-26
IC-F9511HT			✓	✓	✓	✓	✓	✓	✓
IC-F9511T/S, IC-F9521T/S	✓			✓	✓	✓	✓	✓	✓
IC-F1721/D, IC-F2721/D	✓			✓	✓	✓	✓	✓	✓
IC-F5061/D, IC-F5063 IC-F6061/D, IC-F6063		✓		✓	✓	✓	✓	✓	✓
IC-F5220D, IC-F6220D				✓	✓	✓	✓	✓	✓
IC-F5121D, IC-F5123D IC-F6121D, IC-F6123D				✓	✓	✓	✓	✓	✓
IC-F5021, IC-F5023/H IC-F6021, IC-F6023/H				✓	✓	✓	✓	✓	✓
IC-F5011, IC-F5013/H IC-F6011, IC-F6013/H				✓	✓	✓	✓	✓	✓
IC-FR5000, IC-FR6000					✓				✓
IC-FR9010, IC-FR9020									

MODEL NAME	ACC CABLES				ZONE COPY CABLES		EXTERNAL SPEAKERS		DC POWER CABLES
	OPC-617 9-pin type	OPC-1939 15-pin type	OPC-2078 25-pin type	OPC-2202 For connection with UR-PA5000/ PA6000	OPC-1532 Mobile to mobile OPC-1533 Mobile to handheld	OPC-1532 Mobile to mobile OPC-1871 Mobile to handheld	SP-30	SP-35 (With 2m; 6.5ft cable) SP-35L (With 6m; 19.7ft cable)	OPC-1132A (3m; 9.8ft) OPC-347 (7m; 23ft)
IC-F9511HT						✓	✓	✓	
IC-F9511T/S, IC-F9521T/S						✓	✓	✓	✓
IC-F1721/D, IC-F2721/D	✓				✓		✓	✓	✓
IC-F5061/D, IC-F5063 IC-F6061/D, IC-F6063							✓	✓	✓
IC-F5220D, IC-F6220D		✓	✓				✓	✓	✓
IC-F5121D, IC-F5123D IC-F6121D, IC-F6123D		✓	✓				✓	✓	✓
IC-F5021, IC-F5023/H IC-F6021, IC-F6023/H		✓	✓				✓	✓	✓
IC-F5011, IC-F5013/H IC-F6011, IC-F6013/H		✓	✓				✓	✓	✓
IC-FR5000, IC-FR6000				✓				✓	
IC-FR9010, IC-FR9020									







* No digital modulation "IN" using accessory cables.










MODEL NAME	CHANNEL MODULES	POWER AMPLIFIER	TRUNKING/NETWORK CONTROLLER	IDAS SOFTWARE	
	UR-FR5000 (136–174MHz, 50W) UR-FR6000 (400–470, 450–520MHz, 50W)	UR-PA5000 (136–174MHz, 100W 50% duty, 50W 100% duty) UR-PA6000 (400–470, 450–520MHz, 100W 50%, 50W 100% duty)	UC-FR5000	CF-FR5000MC Multi-site conventional software for UC-FR5000	CF-FR5000MT Multi-site trunking software for UC-FR5000
IC-F9511HT					
IC-F9511T/S, IC-F9521T/S					
IC-F1721/D, IC-F2721/D					
IC-F5061/D, IC-F5063 IC-F6061/D, IC-F6063					
IC-F5220D, IC-F6220D					
IC-F5121D, IC-F5123D IC-F6121D, IC-F6123D					
IC-F5021, IC-F5023/H IC-F6021, IC-F6023/H					
IC-F5011, IC-F5013/H IC-F6011, IC-F6013/H					
IC-FR5000, IC-FR6000	✓	✓	✓	✓ (Use with UC-FR5000)	✓ (Use with UC-FR5000)
IC-FR9010, IC-FR9020					




Some options may not be available in some countries. Please ask your dealer for details. * Not available in some countries. (Not available in the USA.)




✓ : Applicable □ : Not applicable

OPTIONS FOR HF TRANSCEIVERS

	HAND MICROPHONES		REMOTE CONTROL MIC	SEPARATION KIT	SEPARATION CABLES	AUTOTUNING ANTENNAS		FOLDED DIPOLE ANTENNA	NVIS KIT
MODEL NAME	HM-155 	HM-193 	HM-192 	RMK-6 For controller attached version 	OPC-608 (8m; 26.2ft) OPC-726 (5m; 16.4ft) OPC-607 (3m; 9.8ft) OPC-609 (1.9m; 6.2ft) 	AH-760 1.6-30MHz Wide frequency type. 	AH-740 2.5-30MHz Compact type 	AH-710  Approx. 24.5 m; 80.5 ft 30 m; 98.4 ft	AH-5NV 
IC-F8101		✓	✓	✓	✓	✓	✓		✓ (Use with AH-780/AH-740)
IC-F7000	✓							✓	








	ANTENNA ELEMENT	ANTENNA TUNER	ANTENNA MATCHERS		SHIELDED CONTROL CABLES			EXTERNAL SPEAKERS	GPS/MODEM CABLE
MODEL NAME	AH-2b 	AT-140 	MN-100 	MN-100L 	OPC-2309 10m; 32.8ft 	OPC-1286/N 10m; 32.8ft 	OPC-1287 5m; 16.4ft 	SP-35 (With 2m; 6.5ft cable) SP-35L (With 6m; 19.7ft cable) 	OPC-2308 
IC-F8101	✓ (Use with AT-140)	✓			✓ (Use with AT-140)			✓	✓
IC-F7000	✓ (Use with AT-140)	✓	✓	✓		✓ (Use with AT-140)	✓ (Use with AT230)	✓	

	MOUNTING BRACKET	COOLING FAN	REMOTE CONTROLLER
MODEL NAME	MB-126 	CFU-F8100 	RC-26 
IC-F8101	✓	✓	
IC-F7000			✓

Recommended Option	Third Party Products	
Moonraker Australia Pty. Limited AT230 2-30MHz coverage 	RapidM internal TC4 Modem and Email Software 	SCS FACTOR III 
✓	✓	✓

Some options may not be available in some countries. Please ask your dealer for details.

OPTIONS FOR RoIP AND VPN ROUTER

	AC ADAPTER	AUDIO CONNECTION CABLES				DIGITAL VOICE CONVERTER	SERIAL CABLE
MODEL NAME	BC-2075 12V/3.5A 	OPC-2273 For IC-M604A VHF marine transceiver 5m; 16.4ft 	OPC-2274 For IC-FR5000 series 5m; 16.4ft 	OPC-2275 For mobile transceiver 5m; 16.4ft 	OPC-2276 For HM-152 or SM-26 5m; 16.4ft 	CT-24 	OPC-1402A (For maintenance use) 
VE-PG3	✓	✓	✓	✓	✓		
SR-VPN1	✓					✓	

Some options may not be available in some countries. Please ask your dealer for details.